

# West Dunbartonshire Health and Wellbeing Profiles – key indicators and overview

Cite as: Millard A, McCartney G, MacKinnon A, Van Heelsum A, Gasiorowski A, Barkat S. *West Dunbartonshire Health and Wellbeing Profiles – key indicators and overview*. Edinburgh: ScotPHO; 2016.

## Introduction

The ScotPHO Health and Wellbeing profiles ([www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool](http://www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool)) provide a set of health and wellbeing indicators for Scottish local authority areas. The indicators are displayed in spine charts for each local authority and are measured in the same way in each part of Scotland. One of the key aims of the profiles is to allow comparisons between areas, and the data that are available demonstrate the inequalities in outcomes between areas.


Feedback shows that some people find using the online profiles tool daunting, therefore this report will provide key points without the need to go into the tool. For further details or up-to-date figures see the final section of this report, which explains how to use the tool.

The featured spine chart compares the local and national position for each indicator. Also included – for the worst key indicator locally – are a trend chart, showing changes over time in comparison with Scotland, and a rank chart, showing how your local authority compares with the other 31 local authorities. These charts can be accessed online by clicking on an individual indicator name in the spine chart.

Throughout this report we refer to the European Age Standardised Rate (EASR), which is the rate per 100,000 population adjusted for the different age balances. Unless the indicator is given for one sex only, the EASRs adjust for both differing age and sex balance. Crude rates are the rates before any adjustment. Unless specified as crude, 'rate' always means the EASR in this report.

# Key differences from Scotland in health and wellbeing indicators for West Dunbartonshire

The 'worst' indicators, ranked locally are reported below in the key differences summary. The aim is to provide an indication of which areas might be considered as priorities for improvement.



## Methods

Indicators are highlighted only when it is considered that the difference between the local and national figure is not just due to random variation (in other words the difference is statistically significant). Figures were ordered from the worst to the best, then the six worst were selected and compared to the Scottish averages. This information may be of use in health improvement planning, but must be considered in a local context.

The information in this report is a snapshot taken on a particular date (25 February 2016). The indicators are updated continuously, and therefore more up-to-date information may be available online. To avoid disclosure as a result of small numbers, many indicators use aggregated figures where necessary, for example over a three- or five-year period, such as 2012–14. The data can be collected for a calendar year, such as 2012, or a financial year, such as 2012/13.

## Key indicators for West Dunbartonshire

For West Dunbartonshire in 2013, the percentage of population within 500 metres of a derelict site was 61%, which was 104% higher than the Scottish level of 30%.


In 2014/15, the crude rate of drug crimes recorded was 134/10,000, which was 95% higher than the Scottish level of 69/10,000.

In 2012, the rate for prisoner population was 274/100,000, which was 60% higher than the Scottish level of 171/100,000.

In 2014, the percentage of people claiming pension credits (aged 60+) was 11%, which was 55% higher than the Scottish level of 7%.

In 2012, the percentage of children living in poverty was 23%, which was 49% higher than the Scottish level of 15%.

In 2014, the percentage of population income deprived was 19%, which was 47% higher than the Scottish level of 13%.



# Health & Wellbeing Profiles (West Dunbartonshire)

Domain	Indicator	Period	Number	Measure	Type	National Average	'Worst'	Scotland Comparator	'Best'
Life Expectancy & Mortality	1 Male life expectancy <sup>18</sup>	2011	n/a	74.1	yrs	76.6			
	2 Female life expectancy <sup>18</sup>	2011	n/a	78.7	yrs	80.8			
	3 Deaths all ages <sup>12</sup>	2013	1,061	1,380.7	sr4	1,169.8			
	4 All-cause mortality among the 15-44 year olds. <sup>12</sup>	2013	44	139.1	sr4	100.5			
	5 Early deaths from CHD (<75) <sup>12</sup>	2012	62	81.9	sr4	60.7			
	6 Early deaths from cancer (<75) <sup>12</sup>	2013	162	191.3	sr4	154.7			
Behaviours	7 Estimated smoking attributable deaths <sup>3,13,16</sup>	2014	201	441.7	sr4	366.8			
	8 Smoking prevalence (adults 16+) <sup>3,14</sup>	2014	61	21.9	%	20.2			
	9 Alcohol-related hospital stays <sup>15</sup>	2014	805	946.2	sr4	671.7			
	10 Deaths from alcohol conditions <sup>17</sup>	2012	29	33.3	sr4	23.1			
	11 Drug-related hospital stays <sup>12,15</sup>	2013	112	130.1	sr4	122.0			
	12 Active travel to work <sup>3,14</sup>	2013	23	11.0	%	16.0			
	13 Patients registered with cancer <sup>12</sup>	2012	575	714.7	sr4	634.1			
	14 Patients hospitalised with chronic obstructive pulmonary disease (COPD) <sup>12,15</sup>	2012	572	705.8	sr4	659.9			
	15 Patients hospitalised with coronary heart disease <sup>12</sup>	2012	445	553.8	sr4	440.3			
	16 Patients hospitalised with asthma <sup>12</sup>	2012	108	116.8	sr4	91.2			
	17 Patients with emergency hospitalisations <sup>12</sup>	2012	7,438	8,653.4	sr4	7,500.2			
	Mental Health	18 Patients (65+) with multiple emergency hospitalisations <sup>12</sup>	2012	904	6,142.6	sr4	5,159.5		
19 Road traffic accident casualties <sup>12</sup>		2012	47	53.3	sr4	63.2			
20 Population prescribed drugs for anxiety/depression/psychosis <sup>3</sup>		2014	18,291	20.4	%	17.4			
21 Patients with a psychiatric hospitalisation <sup>12</sup>		2012	278	322.0	sr4	291.6			
22 Deaths from suicide <sup>17</sup>		2011	15	16.4	sr4	14.5			
23 Adults claiming incapacity benefit/severe disability allowance/employment and support allowance		2014	6,365	7.1	%	5.1			
24 <sup>3</sup> People aged 65 and over with high levels of care needs who are cared for at home		2013	399	40.7	%	34.7			
25 Children looked after by local authority <sup>3</sup>		2013	347	18.3	cr2	14.4			
26 Single adult dwellings		2014	17,632	39.4	%	37.5			
27 Average tariff score of all pupils on the S4 roll <sup>13</sup>		2012	n/a	182.0	mean	193.0			
Education	28 Primary school attendance	2010	6,227	94.4	%	94.8			
	29 Secondary school attendance	2010	5,075	90.1	%	91.1			
	30 Working age adults with low or no educational qualifications <sup>3</sup>	2013	10,500	18.6	%	12.6			
	31 Population income deprived	2014	17,310	19.3	%	13.1			
Economy	32 Working age population employment deprived	2014	10,165	17.4	%	12.2			
	33 Working age population claiming Out of Work benefits	2014	10,135	17.4	%	12.0			
	34 Young people not in employment, education or training (NEET). <sup>3</sup>	2014	400	9.5	%	6.5			

	35 Children Living in Poverty	2012	4,645	22.8	%	15.3	
	36 People claiming pension credits (aged 60+)	2014	2,270	10.7	%	6.9	
	37 Crime rate	2014	5,208	58.0	cr2	40.4	
	38 Prisoner population <sup>3,13</sup>	2012	199	273.5	sr4	171.2	
	39 Referrals to Children's Reporter for violence-related offences <sup>3</sup>	2013	16	2.1	cr2	2.1	
	40 Domestic Abuse <sup>3</sup>	2014	1,220	136.0	cr9	112.0	
	41 Violent crimes recorded <sup>3</sup>	2014	143	15.9	cr9	11.9	
	42 Drug crimes recorded <sup>3</sup>	2014	1,203	134.1	cr9	68.9	
	43 Population within 500 metres of a derelict site	2013	54,800	60.7	%	29.7	
	44 People living in 15% most 'access deprived' areas	2014	5,042	5.6	%	15.0	
	45 Adults rating neighbourhood as 'a very good place to live' <sup>3,14</sup>	2014	n/a	46.4	%	55.8	
	46 Teenage pregnancies <sup>12</sup>	2012	125	46.6	cr2	41.1	
	47 Mothers smoking during pregnancy <sup>12</sup>	2013	208	22.7	%	18.5	
	48 Low birth weight <sup>12</sup>	2013	18	2.1	%	2.0	
	49 Babies exclusively breastfed at 6-8 weeks <sup>12</sup>	2013	133	14.8	%	26.8	
	50 Child dental health in primary 1	2013	597	61.1	%	66.7	
	51 Child dental health in primary 7	2013	269	32.9	%	47.7	
	52 Child obesity in primary 1	2013	108	11.3	%	10.1	
	53 Breast screening uptake <sup>12</sup>	2011	2,799	69.3	%	72.5	
	54 Bowel screening uptake <sup>12</sup>	2012	7,833	52.5	%	56.0	
	55 Immunisation uptake at 24 months - 5 in 1 <sup>12</sup>	2013	1,030	97.9	%	98.2	
	56 Immunisation uptake at 24 months - MMR <sup>12</sup>	2013	995	94.6	%	95.3	
<b>Crime</b>							
<b>Environment</b>							
<b>Women's &amp; Children's Health</b>							
<b>Immunisations and Screening</b>							

## Key

### Notes:

- Data available down to council (local authority) area only.
- Three-year average number, and 3-year average annual measure.
- Indicator based on HB boundaries prior to April 2014.
- Two-year combined number, and 2-year average annual measure.
- All 6 diagnosis codes used in the analysis; please see the technical report for more information.
- Two-year average number, and 2-year average annual measure
- Five-year average number, and 5-year average annual measure
- Three year average for health boards, local authorities and Scotland. Five year average intermediate geographies

### Spine Chart


#### Key:

- % =percent
- cr2 =crude rate per 1,000 population
- cr9 =crude rate per 10,000 population
- mean=average
- sr4 =age-sex standardised rate per 100,000 population to ESP2013. Please see Appendix I in the technical report.
- ys =years

### Spine Chart

#### Key:

- Statistically significantly 'worse' than National average
- Statistically not significantly different from National average
- Statistically significantly 'better' than National average
- Statistically significant difference compared to National average
- △ No significance can be calculated



See the detailed Definitions and Sources table for indicator information and Technical Report for further guidance on interpreting the spine.

# Overview of the ScotPHO profiles for West Dunbartonshire

## Introduction

This section provides an overview of the population in West Dunbartonshire and all the health and wellbeing indicators in the area. The 56 indicators are split into 13 themes (also called domains). For each theme, comparisons are made between what is observed locally and the national picture.

As we include all indicators in the overview summary, some of these differences may be due to random variation. The spine chart (page 4–5) can be used to examine this. The colour of the dot on the spine chart indicates whether the differences are considered to be due to random variation or are statistically significant. Note that an indicator shown as higher does not always mean worse; it could be better. This depends on what the individual indicator measures. Please note that in this overview we use 'similar' wherever a difference is not statistically significant.

## Population structure

In 2014, 65% (58,286/89,730) of the population of West Dunbartonshire was of working age (16–64 years), similar to the national percentage of 65%. Children and young people (aged 0–15 years) made up 18% (15,703/89,730) of the population, higher than the national 17%. Adults aged over 75 years comprised 7.8% (6986/89,730) of the population, lower than the national average of 8.1%. The population structure of West Dunbartonshire has more younger people, fewer older people, and similar numbers of people of working age than the national average.

## Life expectancy

Life expectancies in 2011, at 74.1 years for males and 78.7 years for females, were lower than the Scottish average of 76.6 years for males and lower than the Scottish female average of 80.8 years.

## Mortality

In 2012–2014, the overall mortality rate among young adults (aged 15–44 years) was, at 139, higher than the Scottish rate of 101. Among those aged under 75 years, cancer mortality was 191, so higher than the Scottish rate of 155. For the same age group, for coronary heart disease, the mortality rate was 82, higher than the Scottish rate of 61.

## Behaviours

In West Dunbartonshire the prevalence of smoking in adults in 2014 was, at 22%, similar to that in Scotland (20%). The rate for smoking-attributable deaths in 2013–2014, at 442, was higher than Scotland (367). The rate for alcohol-related hospital stays in 2014/15 was 946, higher than the rate for Scotland (672). The rate for drug-related hospital stays in 2012/13–2014/15, at 130, was similar to Scotland's 122. In 2010–2014, the rate for alcohol-related deaths, at 33, was similar to the Scottish rate of 23. The percentage of adults walking or cycling to work in 2012/2013, at 11%, was lower than the 16% who did so in Scotland overall.

## Ill-health and injury

The rate for cancer registration in 2011–2013 was, at 715, higher than Scotland's overall rate of 634. The rate for patients hospitalised with asthma in 2011–2013, 117, was higher than the Scottish rate of 91. The rate for emergency hospitalisations in 2011–2013, at 8650, was higher than the rate for Scotland (7500). The rate for patients hospitalised for chronic obstructive pulmonary disease (COPD) in 2011–2013, at 706, was similar to the Scottish rate of 660. In 2011–2013, the coronary heart disease rate was, at 554, higher than the Scottish level of 440. For road traffic accidents in 2011–2013 the rate was, at 53, similar to the Scottish rate of 63. The rate for adults aged 65 years and over with multiple hospital admissions in 2011–2013, at 6140, was higher than that in Scotland (5160).

## Mental health

The percentage of people prescribed medication for anxiety, depression or psychosis in 2014/15 was, at 20%, higher than Scotland overall (17%). The rate for psychiatric hospitalisations in 2011–2013 was 322, which was similar to the Scottish rate of 292. The suicide rate in 2009–2013 was 16, which was similar to the Scottish rate of 15.

## Social care and housing

In 2014, 7% of adults claimed incapacity benefit, severe disability allowance or employment and support allowance; this was higher than the Scottish figure of 5%. The percentage of those aged 65 years and over with high care needs cared for at home, at 41%, was higher than in Scotland overall (35%). The crude rate for children who were looked after by the local authority, at 18/1,000, was similar to Scotland's rate of 14/1000. The proportion of households occupied by single adults (39%) was similar to the 38% in Scotland as a whole.

## Education

In 2012/13, the mean tariff score – which measures exam success rates – was 182, in comparison with the Scotland mean of 193. In 2010/11, the percentage attendance at primary school in West Dunbartonshire, at 94.4%, was similar to Scotland overall (94.8%) and the secondary school attendance of 90.1% was lower than Scotland's 91.1%. In 2013, some 19% of working-age adults had low or no educational qualifications, in comparison with 13% in Scotland.

## Economy

Economic deprivation indicators mostly suggested that the level of deprivation in West Dunbartonshire was higher than the level for Scotland overall. In 2014, the percentage who were income deprived in West Dunbartonshire was 19% for all ages, higher than the 13% for all ages for Scotland. 17% were employment deprived, higher than the 12% for those employment deprived in Scotland. In 2014, the percentage who claimed out-of-work benefits, at 17%, was higher than the 12% across Scotland. In 2014, the percentage of young adults who were outside employment, education or training was 10%, which was higher than the 7% for Scotland. In 2012, the percentage of children living in poverty was 23%, and so was higher than the 15% for Scotland. The percentage of those aged 60 years and over who claimed pension credits in 2014, at 11%, was higher than the 7% for Scotland.

## Crime

In West Dunbartonshire the crude population crime rate for 2014 was higher than Scotland at 58/1000 (Scotland: 40/1000) and the crude domestic abuse rate was higher than Scotland at 136/10,000 (Scotland: 112/10,000). The crude rate for recorded drug crimes was higher than Scotland's rate, at 134/10,000 (Scotland: 69/10,000), and the crude rate for referrals to the children's reporter for violence-related offences was similar to Scotland at 2.1/1000 (Scotland: 2.1/1000). The crude rate for recorded violent crimes was higher than Scotland at 16/10,000 (Scotland: 12/10,000). The rate for prisoner population, at 274, was higher than the Scottish rate of 171.

## Environment

In 2013, the percentage of the population who lived within 500m of a derelict site in West Dunbartonshire was 61%, which was higher than that in Scotland (30%) and the percentage with access deprivation (i.e. within the 15% of the Scottish population who lived furthest away from local services) was, at 6%, lower than the 15% for Scotland. In 2014, the percentage of adults who rated their area as a very good place to live was, at 46%, lower than Scotland's 56%.



## Women's and children's health

In 2011–2013, the crude rate for teenage pregnancy was 47/1000, so similar to Scotland's 41/1000. In 2012/13–2014/15, 2% of births were low weight, similar to Scotland at 2%. In 2013/14 the prevalence of childhood obesity in primary 1 was 11%, so similar to Scotland's 10%. The proportion of mothers smoking in pregnancy, at 23%, was higher than the 19% for Scotland in 2012/13–2014/15. The percentage of exclusive breastfeeding, at 15% in 2012/13–2014/15, was lower than Scotland's 27%. In 2013/14, 61% of children in primary 1 had good dental health, lower than Scotland at 67%. The dental health of children in primary 7, at 33% with no obvious decay experience, was lower than the Scottish average of 48%.

## Immunisation and screening

For breast screening, the uptake of 69% in 2010–2012 was lower than the national average of 73%. For bowel screening, the uptake of 53% was lower than the 56% uptake for Scotland. The immunisation uptake for MMR (measles, mumps, rubella) by age 2 years was 95% in 2012–2014, similar to Scotland's 95%. The immunisation uptake for 5 in 1 (diphtheria, pertussis, tetanus, polio, Hib [meningitis]) by age 2 years in 2012–2014 was 98%, similar to Scotland's 98%.

## Intermediate zones

Spine charts showing the data that are available for smaller areas within West Dunbartonshire (intermediate zones [IZs] – areas with approximately 10,000 individuals) are available via the online tool, but it is not possible to show these in the printed reports owing to the volume of the data (there are 1,235 IZs in Scotland). The IZs can be further investigated by selecting Intermediate Zone from the Geography drop-down menu in the 'Profiles update process' section within the tool. This will show a map initially featuring the IZs for Aberdeen City. Use the buttons provided to zoom in (+) or out (–) of the map. You can select any local authority from the drop-down menu to the top-right of the map. To access the spine, trend and rank charts about a particular IZ, choose one from the list in the left-hand drop-down menu. Some indicators, particularly those reliant on survey data or those which have a very small number of outcomes, are not available at this level.

## Comparisons, time trends, other indicators and further data

Using the online ScotPHO profile tool ([www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool](http://www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool)) it is possible to compare the outcomes between any NHS Board, local authority or IZ area. A wider range of outcomes data are also available in the tool, including alcohol and drugs profiles, older adults' profiles, diabetes profiles and mental health profiles.

In any of the ScotPHO profiles the extent to which any differences may be due to random variation or chance is indicated by the colouring of the dots. By clicking on each individual indicator in the online tool it is also possible to compare areas on a rank chart and view time-trend data. Where relevant, data are also presented as standardised rates (to balance and account for age differences between areas) and as crude rates (to reflect the actual number of individuals/events for a particular outcome for service planning). Data across the socioeconomic determinants of health and health topic areas are available on the ScotPHO website: [www.scotpho.org.uk](http://www.scotpho.org.uk)

To examine inequalities within local authority areas, use the ScotPHO deprivation profiles from the online tool. These provide data on the inequalities across the local populations broadly in line with the outcomes relevant to Single Outcome Agreements (economic recovery and growth, employment, early years, safer and stronger communities and health inequalities).

A technical report is available on the profiles gateway page ([www.scotpho.org.uk/opt/Reports/HWP-2015-technical-report-13112015.pdf](http://www.scotpho.org.uk/opt/Reports/HWP-2015-technical-report-13112015.pdf)), giving more background on the indicators and how they were measured. A user guide for the online profiles tool is also available here.

Contact ScotPHO [scotpho@nhs.net](mailto:scotpho@nhs.net) for further information.